

Outline

Type


SEE55N2-12.0
SEE55N2-16.0
SEE55N2-19.0
SEE55N2-24.0

※DC plug, core, design may change in output voltage

	12.0V	16.0V	19.0V	24.0V
DC plug	EIAJ RC-5320A Vol type 4	EIAJ RC-5320A Vol type 5	outer $\Phi 5.5$ inner $\Phi 2.5$	outer $\Phi 5.5$ inner $\Phi 2.1$

※input inlet
(differs by series)

	Inlet
SEE55N2	2 polar (IEC60320-1 C8)
SEE55N3	3 polar (IEC60320-1 C6)



(単位: mm)

SEE75 series

Outline

Type




SEE75N2-16.0
SEE75N2-24.0

※DC plug, core, design may change in output voltage

	16.0V	24.0V
DC plug	EIAJ RC-5320A Vol type 5	outer $\Phi 5.5$ inner $\Phi 2.1$

※input inlet
(differs by series)

	Inlet
SEE75N2	2 polar (IEC60320-1 C8)
SEE75N3	3 polar (IEC60320-1 C6)



(単位: mm)

SEE75 series

Outline

※DC plug, core, design may change in output voltage





	19.0V
DC plug	outer $\Phi 5.5$ inner $\Phi 2.5$

Type

SEE75N2-19.0

※input inlet
(differs by series)

	Inlet
SEE75N2	2 polar (IEC60320-1 C8)



(単位: mm)